Form Approved REPORT DOCUMENTATION PAGE OMB NO. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment regarding this burden estimates or any other espect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services. Directorate for information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. 1. AGENCY USE ONLY (Leave blank) 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED June 15, 1999 April 15, 1995-April 14, 1999 4. TITLE AND SUBTITLE 5. FUNDING NUMBERS Self-consistent transport simulation in quantum structures DAAH04-95-1-0190 6. AUTHOR(S) J. P. Leburton 7. PERFORMING ORGANIZATION NAMES(S) AND ADDRESS(ES) 8. PERFORMING ORGANIZATION REPORT NUMBER University of Illinois at Urbana-Champaign Coordinated Science Laboratory 1308 West Main Street Urbana, IL 61801 SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) 10. SPONSORING / MONITORING AGENCY REPORT NUMBER U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211 ARO 32867.8-EL 11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation. 12a. DISTRIBUTION / AVAILABILITY STATEMENT 12 b. DISTRIBUTION CODE Approved for public release; distribution unlimited.

13. ABSTRACT (Maximum 200 words)

This research was theoretical in nature and focused on quantum processes in nanostructures. Specifically we have investigated coherent transport and diffraction through arrays of nanostructures and proposed a new field effect transistor, called the AntiDot Diffraction Field Effect Transistor ADDFET, purposely design to show tunable negative differential resistance and hystereses. Optic phonon-assisted tunneling through barriers containing arrays of dots has revealed I-V characteristics characterized by an abrupt front and a broader NDR compared with double barrier resonant tunneling devices. We have proposed a new mode-locked far-infrared quantum dot laser tunable by modulation of acoustic phonon scattering, and a novel quantum dot spectrometer with multi-spectral capability. We have implemented the "scattering time engineering" technique into a comprehensive self-consistent tool for predicting the performances of a new intersubband, optically pumped, mid-infrared (MIR) laser, and developed a self-consistent model for single electron charging effects in quantum dots.

14. SUBJECT TERMS			15. NUMBER IF PAGES
Nanostructures, quantum dots, quantum transport, phonon-assisted processes, far-infrared laser, spectrometer			16. PRICE CODE
17. SECURITY CLASSIFICATION OR REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	20. LIMITATION OF ABSTRACT
UNCLASSIFIED	UNCLASSIFIED	UNCLASSIFIED	UL

REPORT DOCUMENTATION PAGE (SF298) (Continuation Sheet)

Statement of the problem studied.

This research has focused on three areas: 1) Quantum transport through periodic arrays of nanostructures, 2) Scattering time engineering in quantum structures and 3) self-consistent simulation of single-electron charging effects in artificial atoms.

This research has resulted in 18 publications and 9 presentations at symposia and conferences. In addition we have co-organized the International Conference on "Quantum Devices and Circuits" in Alexandria, Egypt, June 4-7, 1996 with K. Ismail and S. Bandyopadhyay, and organized the "9th International Conference on Superlattices, Microstructures and Microdevices" (ICSMM-9) in Liege, Belgium, July 14-19, 1996, both supported by the European Research Office (ERO) of the US Army.

Summary of the most important results.

1. Quantum Transport through Periodic Arrays of Nanostructures

We have developed a new transport concept to control current characteristics and dissipation in arrays of nanostructures. Tightly periodic arrays of quantum boxes or bars are used to produce diffraction of incident electrons perpendicular to the plane of an antidot array. This geometry bears some analogy with single barrier tunneling, and is exactly solvable if the quantum antidots are approximated by repulsive delta-barriers. In contrast to conventional quasi-one-dimensional (1D) tunneling which conserves the component of the electron wavevectors transverse to the current, electron diffraction occurs through multiple channel characterized by transverse components of the wavevectors differing by the reciprocal lattice vector of the periodic array. For 1D array of 2D delta-potentials, highly non-linear and robust characteristics in the vicinity of the Fermi energy when a new channel opens up are predicted. Two lines of 1D arrays reveals rich resonant structures.

We have proposed a novel three-terminal negative differential resistance (NDR) device which combines the structure of conventional field-effect transistors (FET) and a periodic array of quantum antidots embedded in the 2D channel of the FET, and perpendicular to the source-drain current direction. We have shown that the novel AntiDot Diffraction Field Effect Transistor (ADDFET) exhibits tunable NDR and hysteresis which could persists up to nitrogen temperature. The operation of this ADDFET is not restricted to III-V compounds but could also be envision with silicon or other semiconducting materials.

We have also investigated quantum transport through a tunneling barrier containing arrays of dots thereby achieving transverse periodic modulation of the electronic properties of the barrier with two-dimensional minibands and minigaps. Our analysis based on a Breit-Wigner-like formula and taking into account both elastic and phonon-assisted tunneling shows that the I-V characteristics are characterized by an abrupt front and a broader NDR compared with "conventional" resonant tunneling devices; the phonon peak follows the same behavior. Experiments on tunneling through non-periodic ensemble of quantum dots by Sakaki's group

DTIC QUALITY INSPECTED 4

19991102 112

REPORT DOCUMENTATION PAGE (SF298) (Continuation Sheet)

(Nahiro et al, Appl. Phys. Lett. 70, 105 (1997)) also show a sharp current onset similar to our results.

Our theory of phonon-assisted quantum transport in a linear chain of coupled quantum boxes predicting current antiresonances due to Bragg reflection of acoustic phonon in the hopping conduction regime (Yu Lyanda-Geller and J.P. Leburton, Phys.Rev B52, 2779, (1995)), has recently received two independent experimental confirmations (A. Nogaret et al. Proc. MSS-8, Santa-Barbara, July 1997, and L. Canali et al. Phys. Rev. Lett.76, 3618 (1996)). We have extended our theory to the existence of oscillations in the magnetic field positions of Stark-Cyclotron Resonances in confined superlattices, and demonstrated the univocal influence of acoustic phonon on these oscillations which can be used as a powerful phonon spectroscopic tool in confined superlattices.

Mode-locked far-infrared quantum dot laser tunable by modulation of acoustic phonon scattering

Our work of conductance oscillations induced by acoustic lattice vibrations in linear chains of three-dimensionally confined quantum nanostructures or quantum boxes suggests the possibility of exploiting this new effect for modulating the electron scattering mechanisms and controlling non-radiative processes between electron states in superlattice cells. We have proposed a new far-infrared laser with gain and emission frequency modulated by an external voltage which leads to the possibility of mode-locked lasing. This tunable device is based on carrier injection into coupled quantum dot structures with localized electron states for which current oscillates due to interference of acoustic phonon-assisted transitions. The population inversion is achieved by engineering the dot coupling and the collector tunnel barrier characterized by scattering times in the range of the acoustic phonon scattering time. Several quantum dot configurations with coupled quantum dot structures in cascades or superlattices have been proposed. Estimates of the optical gain show that at low temperatures, lasing is feasible below the optical phonon frequency.

The quantum dot spectrometer

In our investigation of transport in arrays of quantum dots, we have proposed a new photodetector scheme capable of multi-spectral channel operation. This novel quantum dot spectrometer makes use of the ability of a quantum dot plane to capture an optical spectrum, and of a resonant tunneling structure to perform spectrally sensitive read-out. We have designed a particular structure made of the InAs-GaAs-AlGaAs system and have simulated realistically the electronic properties for predicting the optical channel capabilities. The structure is currently optimized for experimental demonstration of the device performances.

REPORT DOCUMENTATION PAGE (SF298) (Continuation Sheet)

2. Scattering Time Engineering in Quantum Structures.

We have implemented the "scattering time engineering" technique into a comprehensive self-consistent tool for predicting the performances of a new intersubband, optically pumped, midinfrared (MIR) laser proposed by our group in collaboration with a French group at the University of Paris, last year. The technique which features confined and interface optic-phonon modes with screening, has been used as a CAD tool for the design of the first AlGaAs/GaAs asymmetric coupled quantum well structure which has demonstrated MIR stimulated emission when pumped with a free electron laser. Recently, the unipolar laser with MIR emission at 15.5 microns has also been demonstrated (O. Gauthier-Lafaye et al, Appl. Phys. Lett. 71, 3619 (1997)).

In the context of "scattering time engineering" we have generalized our phonon model to arbitrary number of coupled quantum wells by using a modified image-charge ansatz, and derived the dispersion of the different phonon modes as well as the corresponding Froehlich hamiltonians. We have shown that owing to the preservation of the phonon and electron wavefunction coherence in the whole QW structure, the new model provides significant differences in the inter- and intrasubband scattering rates compared to the simplistic model assuming independent quantum wells for the phonon dispersion.

3. Self-Consistent Simulation of Single-Electron Charging Effects in Artifical Atoms.

We have also investigated the influence of electron-electron interaction on the electronic properties of quantum dots in a regime where the energy level separation is comparable to or larger than the Coulomb charging energy at low temperature (e²/2C >> kT). A self-consistent three-dimensional (3D) solution of Schroedinger and Poisson equation within the local density approximation is implemented to study the formation of shell structure in highly symmetric quantum dots which is in good agreement with recent experimental results (Tarucha et al., PRL 77, 3613 (1996)). We also have specifically demonstrated the "bunching" of the self-consistent electrostatic potential profile during the charging of the dot corresponding to the filling of a shell. Our analysis has also been able to investigate fine physical details such as anomalously large addition energies at N=10 and N=16 which are due to lifting of degeneracies in the third and fourth shells caused by anharmonicity in the potential. For asymmetric quantum dots, we show that the shell structure disappears, and novel features due to electron-electron interaction lead to the accidental formation of an isolated electron shell called 'Coulomb degeneracy' in the energy spectrum—a merging of two energy levels caused by electron repulsion during the charging of the dot which has its analogy in atomic physics.

Publications and Conference Presentations

- 1. J. -P. Leburton, "Dissipation and Scattering Time Engineering in Quantum Devices" in Quantum Devices and Circuits, eds. K. Ismail, S. Bandyopadhyay and J. -P. Leburton, Imperial College Press, London, pp. 242-252. (1996) (invited)
- 2. J.-P. Leburton and Jin Wang, "Scattering Time Engineering in Coupled Quantum Wells for Mid-Infrared Optical Emission," Special Issue of the Lithuanian Journal of Physics for the 70th Anniversary of Prof. J. Pozela's, 30, pp. 550-562. (1996) (invited)
- 3. J. P. Leburton and S. Nagaraja, "Electronic Properties of Quantum Dots and Artificial Atoms," NATO ASI Series E, 344 on "Optical Spectroscopy of Low Dimensional Semiconductors" Eds. G. Abstreiter, A. Aydinli and J. P. Leburton, Klumer Acad. Publishers, pp. 235-256. (1997) (invited)
- 4. F. H. Julien and J. P. Leburton, "Infrared Intersubband Emission in Optically Pumped Quantum Wells," in "Long Wavelength Infrared Emitters Based on Quantum Wells and Superlattices," Ed. by M.Helm, "Optoelectronic Properties of Semiconductor Quantum Wells," Ed. M. O. Manasreh, Gordon & Breach Publish. (invited) (in Press)
- 5. J.P. Leburton, "Scattering Time Engineering in Quantum Based Electronic Devices", special issue of the International Journal of High Speed Electronic and Systems (IJHSES) on "Quantum Based Electronic Devices", World Scientific Publ. (invited) (in Press)
- 6. J.P. Leburton, "Phonon-Assisted Transport in Linear Chains of Quantum dots", Abstract book of the 2d International Workshop on "Physics and Modeling of Devices based on Low-Dimensional Structures" March, 12 -- 13, 1998, University of Aizu, Aizu-Wakamatsu City, Fukushima, 965-80, Japan (invited)
- 7. N. S. Mansour, Yu. M. Sirenko, K. W. Kim, M. A. Littlejohn, J. Wang and J. -P. Leburton, "Carrier Capture in Cylindrical Quantum Wires," Appl. Phys. Lett., 67, 3480. (1995).
- 8. J.P. Leburton and Yu. Lyanda-Geller, "Electron Diffraction by a Periodic Array of Quantum Anti-dots", Bull Am. Phys. Soc.41, 193. (1996)
- 9. Yu. Lyanda-Geller and J.P. Leburton, "Electron Energy Filtering and Phonon-Assisted Tunneling in Periodic Quantum Dot Arrays", Bull.Am.Phys. Soc. 41, 194. (1996)
- 10. J. -P. Leburton, "Dissipation Engineering in Quantum Devices" Ext. Abstracts of the 1996 International Conference on "Solid State Devices and Materials," Yokohama, Japan, Aug. 26-29, 1996, pp. 765-766. (invited)
- 11. J. -P. Leburton and Yu B. Lyanda-Geller, "Electron Diffraction by Periodic Arrays of Quantum Antidots," Phys. Rev. B, 54, 17716. (1996)
- 12. J. -P. Leburton and Yu B. Lyanda-Geller, "Tunable Negative Differential Resistance in Antidot Diffraction Field Effect Transistor (ADDFET)," Appl. Phys. Lett., 70, 634. (1997)

- 13. Yu. Lyanda-Geller and J.P. Leburton," Hopping Conductance and Stark-Cyclotron Resonance in Supelattices" Bull. Am. Phys. Soc. 42, 274. (1997)
- 14. Jin Wang, J. -P. Leburton, and J. Pozela, "Phonon Dispersion and Electron-Polar Optical Phonon Interaction in Asymmetric Coupled Quantum Well Structures in the Modified Image-Charge Approach," J. Appl. Phys., 81, 3468. (1997)
- 15. S. Nagaraja, P. Matagne, V. Y. Thean, J. P. Leburton, Y. H. Kim and R. M. Martin, "Shell Filling Effects are Coulomb Degeneracy in Planar Quantum Dot Structures," Phys. Rev. B. 56, 15752. (1997)
- 16. J.P. Leburton and Yu Lyanda-Geller, "Acoustic Phonon Modulation of Intersubband Scattering and Far-Infrared Emissionin Coupled Quantum Dots", Abstract book of the International Conference on "Intersubband Transitions in Quantum Wells: Physics and Applications" (ITQW-97), Dec 15-17, 1997, Tainan, Taiwan, R.O. C.
- 17. Yu. B. Lyanda-Geller and J. P. Leburton, "Resonant Tunneling Through Arrays of Nanostructures," Semic. Science and Technol. 13, 35. (1998)
- 18. Yu. B. Lyanda-Geller and J. P. Leburton, "Phonon Scattering Modulation of Stark Cyclotron Resonance," Phantom News Letters, 13, 8. (1997)
- 19. Yu. B. Lyanda-Geller and J. P. Leburton, "Oscillation Level Broadening in Superlattice Magnetotransport," Solid State Communications. 106, 31. (1998)
- 20. J. L. Jimenez, L. R. C. Fonseca, D. J. Brady, J. P. Leburton, D. E. Wohlers and K. Y. Cheng, "The Quantum Dot Spectrometer," Appl. Phys.Lett. 71, 3558. (1997)
- 21. Yu. B. Lyanda-Geller and J. P. Leburton, "Phonon Modulation of Stark-Cyclotron Resonance," Proceedings of MSS-8, Santa-Barbara, CA, 14-18 July, 1997. Physica E 2, 73-77. (1998)
- 22. Yu. B. Lyanda-Geller and J.P. Leburton, "Mode-locked far-infra-red quantum dot laser tunable by modulation of acoustic phonon scattering" Appl. Phys Lett. (in review).

ARO Grantee Data Collection (Reporting period January 1, 1998 – December 31, 1998)

PI Data	: Name: Jean-Pierre Leburton					
	Institution University of Illinois					
	ARO Grant Number DAAH04-95-1-0190					
Numbe	er of Co-Investigators on this ARO Grant:					
]	Faculty X Post Doctorates Graduate tudents Undergrads					
ARO and and edit	er of Publications: Report only those papers resulting from research predominantly supported by d not papers creditable to multiple agency support. Only include peer reviewed papers, book chapters, orships of books. Do not include: abstracts, internal reports, "Scientific American" type articles or with a type article or articles with a publication date outside of the stated time frame.					
]	(For Papers) Publication Name Semic. Science and Technol. Publication Date 1998 (For papers published in conference proceedings, identify the conference & date)					
	Author(s) Yu. B. Lyanda-Geller and J. P. Leburton					
1	Paper Title Resonant Tunneling through Arrays of Nanostructures					
1	Publication Name Solid State Communications Publication Date 1998					
	Authors(s) Yu. B. Lyanda-Geller and J. P. Leburton					
1	Paper Title Oscillation Level Broadening in Superlattice Magnetotransport					
1	Publication Name <u>Proceedings of MSS-8, Physica E2</u> Publication Date <u>1998</u>					
	Author(s) Yu. B. Lyanda-Geller and J. P. Leburton					
1	Paper Title Phonon Modulation of Stark-Cyclotron Resonance					
	(For Books or Book Chapters) Book Name Quantum Confinement: Nanostructures Publication Date 1999 Publisher Electrochemical Society					

Author J. P. Leburton, S. Bandyopadhyay, M. Cahay, J. Christen and D. Lockwood

Chapter Title:

Book Chapters

Book: International Journal on High Speed Electronics and Systems

Publication Date 1998

Publisher World Scientific Publisher

Chapter Title: Scattering Time Engineering in Quantum Based Electronic Devices

Author J. P. Leburton

Honors/Awards Received: Do not include honors or awards unrelated to the scientific field covered by the grant.

Honor/Award Associate Center for Advanced Study

Date received December 1998

Honor/Award Recipient J. P. Leburton

Honor/Award Organization_____

Awarding Organization Center for Advanced Study University of Illinois

List MS or PhD degrees conferred.

List inventions or patents applications filed and awarded.

ARO Grantee Data Collection

(Reporting period January 1, 1998 – December 31, 1998)

PI Dat	Name: Jean-Pierre Leburton	
	Institution University of Illinois	
	ARO Grant Number DAAH04-95-1-0190	
Numbe	er of Co-Investigators on this ARO Grant:	
	Faculty_XPost DoctoratesGraduate tudentsUndergrads	
ARO at and edi	er of Publications: Report only those papers resulting from research predominantly supported by ad not papers creditable to multiple agency support. Only include peer reviewed papers, book chapters torships of books. Do not include: abstracts, internal reports, "Scientific American" type articles of with a type article or articles with a publication date outside of the stated time frame.	,
	(For Papers) Publication Name Semic. Science and Technol. Publication Date 1998 (For papers published in conference proceedings, identify the conference & date)	
	Author(s) Yu. B. Lyanda-Geller and J. P. Leburton	
	Paper Title Resonant Tunneling through Arrays of Nanostructures	
	Publication Name Solid State Communications Publication Date 1998	
	Authors(s) Yu. B. Lyanda-Geller and J. P. Leburton	
	Paper Title Oscillation Level Broadening in Superlattice Magnetotransport	
	Publication Name Proceedings of MSS-8, Physica E2 Publication Date 1998	
	Author(s) Yu. B. Lyanda-Geller and J. P. Leburton	
	Paper Title Phonon Modulation of Stark-Cyclotron Resonance	
	(For Books or Book Chapters) Book Name Quantum Confinement: Nanostructures Publication Date 1999	
	Publisher <u>Electrochemical Society</u>	
	Chapter Title:	

Author J. P. Leburton, S. Bandyopadhyay, M. Cahay, J. Christen and D. Lockwood

Book Chapters

Book: International Journal on High Speed Electronics and Systems

Publication Date 1998

Publisher World Scientific Publisher

Chapter Title: Scattering Time Engineering in Quantum Based Electronic Devices

Author J. P. Leburton

Honors/Awards Received: Do not include honors or awards unrelated to the scientific field covered by the grant.

Honor/Award Associate Center for Advanced Study Date received December 1998

Honor/Award Recipient J. P. Leburton

Honor/Award Organization_____

Awarding Organization Center for Advanced Study University of Illinois

List MS or PhD degrees conferred.

List inventions or patents applications filed and awarded.